



There must be visual contrast between the wall and floor finishes.
 The wall finish must also contrast with the sanitaryware and grab rails.
 Lever action tap supplied.
 Large wash basin with vertical grab rails either side.
 Doors should be fitted with light action privacy bolts with emergency release mechanisms or N&C Phlexicare Radar locks supplied by N&C under the Radar National key scheme.

All doors, alarms, Equality Act compliant handles & associated Ironmongery can all be obtained from N&C.
 An emergency assistance alarm must have:
 1. Visual and audible indicators confirming the emergency call has been received.
 2. A reset control reachable from the W.C. pan or a wheelchair - shower seat.
 3. A signal that is distinguishable visually and audibly from the fire alarm.
 4. A red alarm cord with two rings, one set between 800mm and 1000mm and the other 100mm above the floor surface.

Peninsular Low Level **P6830059**

1	Pentland Low Level Raised Height Pan
1	Blue Seat only (Advanced)
2	Pentland Reversible Cistern with Screw Down Lid
2	6 litre Cistern Fitting Pack
2	Chrome Plated Spatulate Flush Lever
2	White Flushbend 760 x 305mm
3	Pentland Hand Basin 520 x 425mm
3	Hanger and Waste Bracket
3	Basin Fixing Bolts
3	Chrome Thermostatic Mono Basin Mixer - Lever Operation
3	Chrome 32mm Grated Waste
3	Chrome 32mm Plastic Bottle Trap
4	Phlexicall Audio Visual Alarm with Reset

5	Extra Pull Cord and Ring
6	White Plastic Colostomy Bag Shelf, Small
7	White Plastic Colostomy Bag Shelf, Large
8	Automatic Hand Dryer
9	Soap Dispenser
10	Stainless Steel Mirror 1000 x 400mm
11	Blue Clothes Hooks x 2
12	Blue Fluted 600 x 35mm Grab Rails x 6
13	Blue Folding Rail x 2 850mm
13	Toilet Roll Holder for Folding Rail x 2
14	Blue Backrest Padded 400 x 250mm

For accessories see page 247.